

## Analytical Results Sheet

Customer:	[REDACTED]	Report Number:	CDXA-ARS-34717-00
Address (City, State):	[REDACTED]	Project Number:	ORD91579
Sample Name:	Sodium Hyaluronate HA	Date Received:	19-Jan-17
Sample Lot:	ZHYAACID-161694	Purchase Order:	16266
CDXA Number:	CDXA-17-000795	Date of Report:	26-Jan-17
Assay:	Metals Testing: ICP-MS for 4 Elements	Page:	1 of 1
Part Number:	CDA-00100497-ARS	Test Location:	Boulder, CO
Method:	99.1-CDXA-4.0-000615		

Analyte	Units	Spec.	Result	Reporting Limit
Arsenic	ppm	< 1	ND	0.20
Cadmium	ppm	< 0.5	ND	0.049
Lead	ppm	< 1	ND	0.049
Mercury	ppm	< 1	ND	0.025

Verified: John Rowley

QA Approved: **Adriana Torres**  
*Signed original on file at CDXA*

Digitally signed by Adriana Torres  
 DN: cn=Adriana Torres, o=ChromaDex Inc., ou=Quality Assurance,  
 email=AdrianaT@ChromaDex.com, c=US  
 Date: 2017.01.26 17:17:12 -0700'



**ChromaDex Inc. maintains ANAB accreditation to ISO17025:2005 for the specific tests listed on the ANAB certificate # AT-1816.**

This product analysis is subject to our "Standard Terms and Conditions for the Purchase and Sale of ChromaDex Products and or Services," a copy of which has been provided to our client and is incorporated herein by this reference. As more specifically set forth therein, this product analysis is for the benefit of our client only, may not be relied upon by any other party without our prior written consent, relates solely to the sample(s) provided to us by our client and therefore cannot be applied to any other material or sample. Unless otherwise noted, samples were received in acceptable condition and analyzed as received. This document may not be printed in part without the explicit permission of ChromaDex.

ND – Not detected above reporting limit