

Microbiological Results

Customer



Sampled by: Client/
Date Received: Jan 26, 2023
Lab Location: Santa Maria

SAMPLE DESCRIPTION	ANALYSIS TYPE	METHOD	REFERENCE	RESULTS	UNITS
M22.52434-020					
PRODUCTS Product: BOSWELLIA SERRATA EXTRACT Additional Sample Information: VLOT: LWK1EG2209G09 PO#: L4329 Sample ID: ZBOSWPE 23-21799 Test Date: 01/26/2023 18:10	E. coli (25 g)	Petrifilm	AOAC 991.14	*Negative	CFU/g
	Mold (25 g)	Petrifilm	AOAC 2014.05	<10	CFU/g
	Salmonella (25 g)	BAX (PCR)	AOAC 2013.02	Negative	
	Total Coliform (25 g)	Petrifilm	AOAC 991.14	<10	CFU/g
	TPC (25 g)	Petrifilm	AOAC 990.12	<10	CFU/g
	Yeast (25 g)	Petrifilm	AOAC 2014.05	<10	CFU/g
0 GPS POINTS Available					
Comments:					

CFU = Colony Forming Unit MPN = Most Probable Number E. coli = Escherichia coli TC = Total Coliform
 TPC = Total Plate Count

*Negative for E.coli = < 10 est CFU/g **Negative for E.coli = < 1 est CFU/ml ***Negative for E.coli = < 1 est CFU/50 sq cm ****Negative for E.coli = < 100 est CFU/sq m

APPROVED BY	APPROVED DATE
 Sidney Veneris / Microbiologist	Jan 29, 2023

PrimusLabs' representation of the results of laboratory analyses is limited to the analyzed samples only. PrimusLabs makes no representations or warranties about other portions of these commodities /lots. PrimusLabs' liability is limited to the cost of the laboratory tests. See also www.primuslabs.com for additional information.

Version 1 - M22.52434.020