

PRODUCT INFORMATION



PERFORMANCE MINERALS®

ZINPRO® 180

ZINC METHIONINE COMPLEX

Soluble Powder


For use only in U.S.

A nutritional feed ingredient for livestock and poultry. When used as a commercial feed ingredient it must be declared as zinc methionine complex. Association of American Feed Control Officials (AAFCO) No. 57.151. International Feed Number (IFN) 6-16-293. Zinc Methionine Complex. U.S. Patent No. 4,764,633 and 5,430,164. Canada Reg. No. 990583.

TYPICAL ANALYSIS

Zinc 18%

MOLECULAR STRUCTURE



PHYSICAL DESCRIPTION

Water soluble tan powder with characteristic methionine-like odor. ZINPRO® 180 weighs approximately 448 kg/cu. meter and is packaged in 25 kg (55.1 lb) multiwall bags.

SOLUBILITY

One part ZINPRO 180 will dissolve in two parts hot water. One percent solution has pH of 4.5-5.0.

FEEDING INSTRUCTIONS

SWINE*: Add 252 grams per ton of complete diet.

LAYING HENS, BROILERS AND TURKEYS: Add 200 grams per ton of complete diet.

DAIRY CATTLE: Feed 2.0 grams per head daily.

BEEF CATTLE: Feed 2.0 grams per head daily.

HORSES: Feed 2.0 grams per head daily.

SHEEP*: Add 1.0 gram to the daily ration of 5 head.

* Double recommended levels during periods of reduced feed intake, or high production stress.

TOXICITY AND SAFE HANDLING

When correctly used, there is no toxicity hazard in the use of ZINPRO 180. Store in a clean and dry environment. Follow label directions and rotate inventory to ensure fresh product.