



CERTIFICATE OF ANALYSIS

SILLIKER, Inc.
Illinois Laboratory

3600 Eagle Nest Drive, North Building, Crete, IL 60417
Tel. 877-777-6375 Fax. 312-729-1320

Table with COA No: CHG-39242153-0, Supersedes: None, COA Date: 8/4/16, Page 1 of 11

COPY TO: Mr. Steve Dybdal, Supply Chain Manager, Ribus, Inc., Missoula, MT 59801

ORIGINAL TO: Mr. Steve Peirce, President, Ribus, Inc., 200 S Hanley Road, St. Louis, MO 63105

Received From: St. Louis, MO, Received Date: 7/18/16

Location of Test: (except where noted) Crete, IL

Analytical Results

Desc. 1: Lot 032-16, Laboratory ID: 362307715
Desc. 2: Natural Nu-FLOW, Condition Rec'd: NORMAL, Temp Rec'd (°C): 21

Table with columns: Analyte, Result, Units, Method Reference, Test Date Loc. Includes ICP MS Heavy Metals and Multi Residue Pesticide Screen results.

Results reported herein are provided "as is" and are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report.

Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Testing Services apply.



CERTIFICATE OF ANALYSIS

SILLIKER, Inc.
Illinois Laboratory

3600 Eagle Nest Drive, North Building, Crete, IL 60417
Tel. 877-777-6375 Fax. 312-729-1320

Table with COA No: CHG-39242153-0, Supersedes: None, COA Date: 8/4/16, Page 2 of 11

COPY TO: Mr. Steve Dybdal, Supply Chain Manager, Ribus, Inc., Missoula, MT 59801

ORIGINAL TO: Mr. Steve Peirce, President, Ribus, Inc., 200 S Hanley Road, St. Louis, MO 63105

Received From: St. Louis, MO, Received Date: 7/18/16

Location of Test: (except where noted) Crete, IL

Analytical Results

Desc. 1: Lot 032-16, Desc. 2: Natural Nu-FLOW, Laboratory ID: 362307715, Condition Rec'd: NORMAL, Temp Rec'd (°C): 21

Table with columns: Analyte, Result, Units, Method Reference, Test Date, Loc. Lists various pesticides and their results.

Results reported herein are provided "as is" and are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results. Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Testing Services apply.



CERTIFICATE OF ANALYSIS

SILLIKER, Inc.
Illinois Laboratory

3600 Eagle Nest Drive, North Building, Crete, IL 60417
Tel. 877-777-6375 Fax. 312-729-1320

Table with COA No: CHG-39242153-0, Supersedes: None, COA Date: 8/4/16, Page 3 of 11

COPY TO: Mr. Steve Dybdal, Supply Chain Manager, Ribus, Inc., Missoula, MT 59801

ORIGINAL TO: Mr. Steve Peirce, President, Ribus, Inc., 200 S Hanley Road, St. Louis, MO 63105

Table with Received From: St. Louis, MO, Received Date: 7/18/16

Table with Location of Test: (except where noted) Crete, IL

Analytical Results

Desc. 1: Lot 032-16 Laboratory ID: 362307715
Desc. 2: Natural Nu-FLOW Condition Rec'd: NORMAL
Temp Rec'd (°C): 21

Table with columns: Analyte, Result, Units, Method Reference, Test Date, Loc. Lists various analytes like Chlorobromuron, Chloroneb, etc., all with result <0.005 ppm (w/w).

Results reported herein are provided "as is" and are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results.

Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Testing Services apply.



CERTIFICATE OF ANALYSIS

SILLIKER, Inc.
Illinois Laboratory

3600 Eagle Nest Drive, North Building, Crete, IL 60417
Tel. 877-777-6375 Fax. 312-729-1320

Table with COA No: CHG-39242153-0, Supersedes: None, COA Date: 8/4/16, Page 4 of 11

COPY TO: Mr. Steve Dybdal, Supply Chain Manager, Ribus, Inc., Missoula, MT 59801

ORIGINAL TO: Mr. Steve Peirce, President, Ribus, Inc., 200 S Hanley Road, St. Louis, MO 63105

Table with Received From: St. Louis, MO, Received Date: 7/18/16

Location of Test: (except where noted) Crete, IL

Analytical Results

Desc. 1: Lot 032-16 Laboratory ID: 362307715
Desc. 2: Natural Nu-FLOW Condition Rec'd: NORMAL
Temp Rec'd (°C): 21

Table with columns: Analyte, Result, Units, Method Reference, Test Date, Loc. Lists various pesticides and their results.

Results reported herein are provided "as is" and are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results.

Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Testing Services apply.



CERTIFICATE OF ANALYSIS

SILLIKER, Inc.
Illinois Laboratory

3600 Eagle Nest Drive, North Building, Crete, IL 60417
Tel. 877-777-6375 Fax. 312-729-1320

Table with COA No: CHG-39242153-0, Supersedes: None, COA Date: 8/4/16, Page 5 of 11

COPY TO: Mr. Steve Dybdal, Supply Chain Manager, Ribus, Inc., Missoula, MT 59801

ORIGINAL TO: Mr. Steve Peirce, President, Ribus, Inc., 200 S Hanley Road, St. Louis, MO 63105

Table with Received From: St. Louis, MO, Received Date: 7/18/16

Location of Test: (except where noted) Crete, IL

Analytical Results

Desc. 1: Lot 032-16 Laboratory ID: 362307715
Desc. 2: Natural Nu-FLOW Condition Rec'd: NORMAL
Temp Rec'd (°C): 21

Table with columns: Analyte, Result, Units, Method Reference, Test Date, Loc. Lists various analytes like EPN, EPTC, Erbon, etc., with results <0.005 ppm (w/w).

Results reported herein are provided "as is" and are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results.

Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Testing Services apply.



CERTIFICATE OF ANALYSIS

SILLIKER, Inc.
Illinois Laboratory

3600 Eagle Nest Drive, North Building, Crete, IL 60417
 Tel. 877-777-6375 Fax. 312-729-1320

COA No:	CHG-39242153-0
Supersedes:	None
COA Date	8/4/16
Page 6 of 11	

COPY TO:
 Mr. Steve Dybdal
 Supply Chain Manager
 Ribus, Inc.
 Missoula, MT 59801

ORIGINAL TO:
 Mr. Steve Peirce
 President
 Ribus, Inc.
 200 S Hanley Road
 St. Louis, MO 63105

Received From:	St. Louis, MO
Received Date:	7/18/16

Location of Test: (except where noted) Crete, IL
--

Analytical Results

Desc. 1: Lot 032-16 **Laboratory ID:** 362307715
Desc. 2: Natural Nu-FLOW **Condition Rec'd:** NORMAL
Temp Rec'd (°C): 21

<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>Method Reference</u>	<u>Test Date</u>	<u>Loc.</u>
Flumetralin	<0.005	ppm (w/w)			
Flurochloridone	<0.005	ppm (w/w)			
Fluorodifen	<0.005	ppm (w/w)			
Flusilazole	<0.005	ppm (w/w)			
Fluvalinate-tau	<0.005	ppm (w/w)			
Folpet	<0.012	ppm (w/w)			
Fonofos	<0.005	ppm (w/w)			
HCH-alpha	<0.005	ppm (w/w)			
HCH-beta	<0.005	ppm (w/w)			
HCH-delta	<0.005	ppm (w/w)			
HCH-gamma (Lindane)	<0.005	ppm (w/w)			
Heptachlor	<0.005	ppm (w/w)			
Heptachlor epoxide-endo	<0.005	ppm (w/w)			
Heptachlor epoxide-exo	<0.005	ppm (w/w)			
Heptanophos	<0.005	ppm (w/w)			
Hexachlorobenzene	<0.005	ppm (w/w)			
Hexaconazole	<0.005	ppm (w/w)			
Hexazinone	<0.005	ppm (w/w)			
3-Hydroxycarbofuran	<0.005	ppm (w/w)			
Imazalil	<0.005	ppm (w/w)			
Indoxacarb	<0.005	ppm (w/w)			
Iodofenphos	<0.005	ppm (w/w)			
Iprobenfos	<0.005	ppm (w/w)			
Iprodione	<0.005	ppm (w/w)			
Isazophos	<0.005	ppm (w/w)			
Isofenphos	<0.005	ppm (w/w)			
Isoprocarb	<0.005	ppm (w/w)			
Isopropalin	<0.005	ppm (w/w)			
Isoprothiolane	<0.005	ppm (w/w)			
Kresoxim-methyl	<0.005	ppm (w/w)			
Leptophos	<0.005	ppm (w/w)			
Linuron	<0.005	ppm (w/w)			
Malaoxon	<0.005	ppm (w/w)			

Results reported herein are provided "as is" and are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results.

Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Testing Services apply.



CERTIFICATE OF ANALYSIS

SILLIKER, Inc.
Illinois Laboratory

3600 Eagle Nest Drive, North Building, Crete, IL 60417
Tel. 877-777-6375 Fax. 312-729-1320

Table with COA No: CHG-39242153-0, Supersedes: None, COA Date: 8/4/16, Page 7 of 11

COPY TO: Mr. Steve Dybdal, Supply Chain Manager, Ribus, Inc., Missoula, MT 59801

ORIGINAL TO: Mr. Steve Peirce, President, Ribus, Inc., 200 S Hanley Road, St. Louis, MO 63105

Received From: St. Louis, MO, Received Date: 7/18/16

Location of Test: (except where noted) Crete, IL

Analytical Results

Desc. 1: Lot 032-16 Laboratory ID: 362307715
Desc. 2: Natural Nu-FLOW Condition Rec'd: NORMAL
Temp Rec'd (°C): 21

Table with columns: Analyte, Result, Units, Method Reference, Test Date, Loc. Lists various pesticides like Malathion, Mecarbam, etc., all with results <0.005 ppm (w/w).

Results reported herein are provided "as is" and are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results.

Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Testing Services apply.



CERTIFICATE OF ANALYSIS

SILLIKER, Inc.
Illinois Laboratory

3600 Eagle Nest Drive, North Building, Crete, IL 60417
Tel. 877-777-6375 Fax. 312-729-1320

Table with COA No: CHG-39242153-0, Supersedes: None, COA Date: 8/4/16, Page 8 of 11

COPY TO: Mr. Steve Dybdal, Supply Chain Manager, Ribus, Inc., Missoula, MT 59801

ORIGINAL TO: Mr. Steve Peirce, President, Ribus, Inc., 200 S Hanley Road, St. Louis, MO 63105

Received From: St. Louis, MO, Received Date: 7/18/16

Location of Test: (except where noted) Crete, IL

Analytical Results

Desc. 1: Lot 032-16 Laboratory ID: 362307715
Desc. 2: Natural Nu-FLOW Condition Rec'd: NORMAL
Temp Rec'd (°C): 21

Table with columns: Analyte, Result, Units, Method Reference, Test Date, Loc. Lists various analytes like Oxamyl, Oxycarboxin, etc., with results <0.005 ppm (w/w).

Results reported herein are provided "as is" and are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results.

Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Testing Services apply.



CERTIFICATE OF ANALYSIS

SILLIKER, Inc.
Illinois Laboratory

3600 Eagle Nest Drive, North Building, Crete, IL 60417
Tel. 877-777-6375 Fax. 312-729-1320

Table with COA No: CHG-39242153-0, Supersedes: None, COA Date: 8/4/16, Page 9 of 11

COPY TO: Mr. Steve Dybdal, Supply Chain Manager, Ribus, Inc., Missoula, MT 59801

ORIGINAL TO: Mr. Steve Peirce, President, Ribus, Inc., 200 S Hanley Road, St. Louis, MO 63105

Table with Received From: St. Louis, MO, Received Date: 7/18/16

Table with Location of Test: (except where noted) Crete, IL

Analytical Results

Desc. 1: Lot 032-16 Laboratory ID: 362307715
Desc. 2: Natural Nu-FLOW Condition Rec'd: NORMAL
Temp Rec'd (°C): 21

Table with columns: Analyte, Result, Units, Method Reference, Test Date, Loc. Lists various analytes like Propachlor, Propamocarb, etc., with results <0.005 ppm (w/w).

Results reported herein are provided "as is" and are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. Mériex NutriSciences assumes no responsibility, and client hereby waives all claims against Mériex NutriSciences, for interpretation of such results.

Except as otherwise stated, Mériex NutriSciences Terms and Conditions for Testing Services apply.



CERTIFICATE OF ANALYSIS

**SILLIKER, Inc.
Illinois Laboratory**

3600 Eagle Nest Drive, North Building, Crete, IL 60417
Tel. 877-777-6375 Fax. 312-729-1320

COA No:	CHG-39242153-0
Supersedes:	None
COA Date	8/4/16
Page 10 of 11	

COPY TO:
Mr. Steve Dybdal
Supply Chain Manager
Ribus, Inc.
Missoula, MT 59801

ORIGINAL TO:
Mr. Steve Peirce
President
Ribus, Inc.
200 S Hanley Road
St. Louis, MO 63105

Received From:	St. Louis, MO
Received Date:	7/18/16

Location of Test: (except where noted) Crete, IL
--

Analytical Results

Desc. 1: Lot 032-16 **Laboratory ID:** 362307715
Desc. 2: Natural Nu-FLOW **Condition Rec'd:** NORMAL
Temp Rec'd (°C): 21

<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>Method Reference</u>	<u>Test Date Loc.</u>
Tetraiodoethylene	<0.005	ppm (w/w)		
Tetramethrin	<0.005	ppm (w/w)		
Tetrasul	<0.005	ppm (w/w)		
Thiabendazole	<0.005	ppm (w/w)		
Thiobencarb	<0.005	ppm (w/w)		
Thiodicarb	<0.005	ppm (w/w)		
Thionazin	<0.005	ppm (w/w)		
Toclophos-methyl	<0.005	ppm (w/w)		
Tolyfluanid	<0.005	ppm (w/w)		
Tralomethrin	<0.005	ppm (w/w)		
Triadimefon	<0.005	ppm (w/w)		
Triadimenol	<0.005	ppm (w/w)		
Triallate	<0.005	ppm (w/w)		
Triazophos	<0.005	ppm (w/w)		
Tribufos	<0.005	ppm (w/w)		
Tricyclazole	<0.005	ppm (w/w)		
Trifloxystrobin	<0.005	ppm (w/w)		
Triflumizole	<0.005	ppm (w/w)		
Trifluralin	<0.005	ppm (w/w)		
Vernolate	<0.005	ppm (w/w)		
Vinclozolin	<0.005	ppm (w/w)		
Mycotoxin Screen			BFCL-047, CFIA BLMM	8/4/16 BRN
Aflatoxin B1	<0.5	ppb (w/w)		
Aflatoxin B2	<0.3	ppb (w/w)		
Aflatoxin G1	<0.7	ppb (w/w)		
Aflatoxin G2	<0.9	ppb (w/w)		
Deoxynivalenol	<10	ppb (w/w)		
Fumonisin B1	<4	ppb (w/w)		
Fumonisin B2	<10	ppb (w/w)		
Fumonisin B3	<8	ppb (w/w)		
Ochratoxin	<0.8	ppb (w/w)		
T-2 Toxin	<9	ppb (w/w)		
Zearalenone	<7	ppb (w/w)		

Results reported herein are provided "as is" and are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results.

Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Testing Services apply.



CERTIFICATE OF ANALYSIS

SILLIKER, Inc.
Illinois Laboratory

3600 Eagle Nest Drive, North Building, Crete, IL 60417
Tel. 877-777-6375 Fax. 312-729-1320

COA No:	CHG-39242153-0
Supersedes:	None
COA Date	8/4/16
Page 11 of 11	

COPY TO:

Mr. Steve Dybdal
Supply Chain Manager
Ribus, Inc.
Missoula, MT 59801

ORIGINAL TO:

Mr. Steve Peirce
President
Ribus, Inc.
200 S Hanley Road
St. Louis, MO 63105

Received From:	St. Louis, MO
Received Date:	7/18/16

Location of Test: (except where noted) Crete, IL
--

Analytical Results

Michael Lee

Laboratory Director

Noted Test Locations: BRN-Silliker, JR Laboratories, 12-3871 North Fraser Way, Burnaby, BC V5J 5G6

Results reported herein are provided "as is" and are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results.

Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Testing Services apply.