



8969 Cleveland Road Clayton, NC 27520
 Phone: (919) 989-7793 Fax: (919) 989-9226
 Email: NCLab@advancedlabsinc.com
FDA Registration #14353128308

If you liked our service, please tell a friend. If you didn't, please tell us!

Test Certificate

Description: ButyraGen (Tributyryn Powder 50%)
 Sample ID:
 Lot No: BUTYR50P-22118-01
 Location:
 Received: 9/9/2022
 Completed: 9/16/2022

Client: A/P Catherine Taylor
 NutriScience Innovations, LLC
 2450 Reservoir Avenue
 Trumbull, CT 06611

Lab No: 120656-01

Analysis	Result	Per Unit	Specifications	Method
Clostridium perfringens	Absent	CFU/g	< 10 CFU/g	FDA BAM Chapter 16
E. coli	<3.0	MPN/g	< 3 MPN/g	FDA BAM Chapter 4
‡ Mercury	<0.001	ppm	< 0.5 ppm	ICP-MS USP <730>
‡ Arsenic	0.015	ppm	< 2 ppm	ICP-MS USP <730>
‡ Cadmium	0.002	ppm	< 0.3 ppm	ICP-MS USP <730>

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By: Bryant K. Harrison
 Bryant Harrison-Quality Manager

Dated: 9/16/2022

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 9/16/2022 5:30:38 PM

